Quotation 70

DR. BABASAHEB AMBEDKAR MARATHWADA UNIVERSITY, AURANGABAD – 431 004, Maharashtra State (India)

EPABX	:-	(0240) 2403397 to 400
Off. Tele	:-	(0240) 2403104 to 106
Registrar	:-	(Offi.) (0240) 2403333
		(Resi.) (0240) 2400203
Fax	1-	(0240) 2403113 / 2403335
Web Site	1-	www.bamu.net
E-mail	:-	vc@bamu.net
E-mail	-	registrar@bamu.net

<u>NAAC</u> - Accredited A

UNIVERSITY CAMPUS AURANGABAD-431004 (Maharashtra) INDIA

Ref. No. UE/TA/2023-24/

Date: - 30/05/2023

INVITATION OF QUOTATIONS IN TWO BIDS SYSTEMS (Last Date for Submission 08/06/2023) ろいつとか

To, M /s:_____

Name of work: - Renovation work in HOD cabin at Chemical Technology Department in the

premises of Dr. Babasaheb Ambedkar Marathwada University, Aurangabad.

The Terms & Conditions on the reverse should be read carefully and noted in order to comply.

	SCHEDULE - B				
Itam	Description of Item	Qty	Unit	Rate	Amount
Item No 1	Description of Item Providing and fixing Modular false ceiling of 600 x 600 mm center to center and 13 mm thick square mineral fiber board to be fixed on frame work of alluminium sections for suspended false ceiling consisting of alluminium T $2''x1 \frac{1}{2}''$ (50 mm x 40 mm) eighing 0.39 Kilogram/m at 60 cms center center and fixed with $\frac{1}{2}''x \frac{1}{2}''$ (15 x 15 mm) flanges weighing 0.19 Kilogram/m suspended on 6 mm dia mild steel rod weighing 0.22 Kilogram/m, fixed on wall and beams including rounding of the edges with alluinium T of 2'' x 1 $\frac{1}{2}''$ (50 mm x 40 mm) weighing 0.39 Kilogram/m etc. (all alluminium sections shall be anodized) including all labour, material, lifts etc.	35.96	SQM	2696.40	96962.54
2	be anodized) including an labour, indentity including an labour, indentity including an labour, indentity including complete(I.No.38.52) Removing cement tiles, or marble or polished shahabad floor or dado without bed concrete including stacking the materials as directed with all	35.96	SQM	47.25	1699.11
3	concrete including stacking the matrix leads, lifts etc. complete .(I.No.46.19) Providing and laying vitrified rustic matt stone finish tiles having size 590 mm to 605 mm x 590 mm to 605 mm of 8 to 10mm thickness and confirming to IS. 15622-2006 (Group Bla) of approved make, shade and pattern for flooring in required position laid on a bed of 1:4 cement mortar including neat cement float, filling joints, curing and cleaning etc.	40.92	Sq.M	1867.97	76437.33
4	complete.(I.No.33.44) Providing and laying vitrified rustic matt stone finish tiles having size 590 mm to 605 mm x 590 mm to 605 mm to 8 to 10mm thickness and confirming to IS. 15622-2006 (Group Bla) of approved make, shade and pattern for dado and skirting in	2.400	Sqm	2038.92	4893.4

Quotation 71

Providing and applying 1 wo coals of wait care ruly off plastered surface and Ceiling and Walls to prepare surface even and smooth of approved make, etc complete.(I.No.32.34) Providing and applying priming coat on concrete/ masonary/ Asbestos Cement plastered surfaces including scaffolding if necessary, preparing the surface by thorughly cleaning oil, grease, dirt and other foreign matter and sand papering as required etc. 90.040 Providing and applying plastic emulsion paint of approved quality, colour and shade to old and new surfaces in two coats including scaffolding, preparing the surface. (excluding the primer coat)etc. complete (I.No.36.12) 90.040 State of the surface of the surfac		
Providing and applying Two coats of wall care Putty on plastered surface and Ceiling and Walls to prepare surface even and smooth of approved make, etc complete.(I.No.32.34)90.040Providing and applying priming coat on concrete/ masonary/ Asbestos Cement plastered surfaces including scaffolding if necessary, preparing the surface by thorughly cleaning oil, grease, dirt and other foreign matter and sand papering as required etc. complete(I.No.35.21)90.040SProviding and applying plastic emulsion paint of approved quality, colour and shade to old and new surfaces in two coats including scaffolding, preparing the surface. (excluding the primer coat)etc. complete (I.No.36.12)90.040SProviding and fixing solid core flush door shutter in double leaf drawings approved face veneers 3 mm thick on both faces or as directed, all necessary beads, mouldings and lipping, wrought iron hold fasts, chromium plated fixtures and fastenings, with brass mortise lock, chromium plated handles on both sides, and finishing with French Polish etc. complete.(I.No.39.95)3.000NProviding & fixing door spring for pivoted door shutter3.000NProviding & fixing door spring for pivoted door shutter3.000S		50 8508.71
Providing and applying priming coat on concrete/ masonary/ Asbestos Cement plastered surfaces including scaffolding if necessary, preparing the surface by thorughly cleaning oil, grease, dirt and other foreign matter and sand papering as required etc. complete(I.No.35.21)90.040Providing and applying plastic emulsion paint of approved quality, colour and shade to old and new surfaces in two coats including scaffolding, preparing the surface. (excluding the primer coat)etc. complete. (I.No.36.12)90.040SProviding and fixing solid core flush door shutter in double leaf drawings approved face veneers 3 mm thick on both faces or as directed, all necessary beads, mouldings and lipping, wrought iron hold fasts, chromium plated fixtures and fastenings, with brass mortise lock, chromium plated handles on both sides, and finishing with French Polish etc. complete.(I.No.39.95)3.000NProviding all lifts etc. complete including all lifts etc. complete neutonal lipping 1.5mm thick formica &16.500Sd	Sq.M 94	
complete(I.No.35.21)90.040SProviding and applying plastic emulsion paint of approved quality, colour and shade to old and new surfaces in two coats including scaffolding, preparing the surface. (excluding the primer coat)etc. complete (I.No.36.12)90.040SProviding and fixing solid core flush door shutter in double leaf 32 mm thick decorative type of exterior grade as per detailed drawings approved face veneers 3 mm thick on both faces or as directed, all necessary beads, mouldings and lipping, wrought iron hold fasts, chromium plated fixtures and fastenings, with brass mortise lock, chromium plated handles on both sides, and finishing with French Polish etc. complete.(I.No.39.95)3.000N9Providing & fixing door spring for pivoted door shutter including all lifts etc. complete to represent the completed16.500Sc	Sq.M 37.	80 3403.51
primer coat)etc. complete (1.No.36.12)Since (1.No.36.12)Providing and fixing solid core flush door shutter in double leaf 32 mm thick decorative type of exterior grade as per detailed drawings approved face veneers 3 mm thick on both faces or as directed, all necessary beads, mouldings and lipping, wrought iron hold fasts, chromium plated fixtures and fastenings, with brass mortise lock, chromium plated handles on both sides, and finishing with French Polish etc. complete.(I.No.39.95)5.570Si9Providing & fixing door spring for pivoted door shutter including all lifts etc. complete Provding & Fixing door panelling 1.5mm thick formica & 1016.500Si	Sq.M 84.0	
9 Providing & fixing door spring for pivoted door shutter 3.000 N 9 Providing all lifts etc. complete 16.500 Set 10 Provding & Fixing door panelling 1.5mm thick formica & 16.500 Set	SQM 3973	.20 22130.72
9 including all lifts etc. complete 10 Provding & Fixing door panelling 1.5mm thick formica & 10 Provding & Fixing door panelling 1.5mm thick formica &	Nos 2396.	
	Sqm 4162.	20 68676.30
Develty against extraction of material such as metal, said, 2.36	Cum 237.3	37 559.68
11 murum, rubble, etc. for construction work.		298023



Em Dy.E

Hale.

Registrar

Quotation 72

TERMS AND CONDITIONS

- The quotation should be addressed to Registrar, Dr. Babasaheb Ambedkar Marathwada 1. University, Aurangabad & submitted in the office of Executive Engineer, Estate Section, Dr.
- Babasaheb Ambedkar Marathwada University, Aurangabad The Contractor should provide following document at the time of submission of Quotation:-2. (A) <u>ENVELOPE NO. 1 DOCUMENTS)</u>

- The first envelope "Envelope No.1" shall contain the following documents.
 - The Earnest Money Deposit shall be paid via Demand Draft mode only. The DD should be enclosed. (D.D. of Rs. 3000) vii.
 - Copy of Certificate in Original or an attested copy as a registered contractor with (a) State P.W.D. (b) State Irrigation Dept. (c) Maharashtra Jeevan Pradhikaran Authority, (d) Municipal Corporation etc. I M.I.D.C. in appropriate class as may be applicable of civil, valid on the date of submission.
- Copy of Income tax return FY 2021-22, i.e. AY 2022-23 viii.
- ix. Copy of pan Card.
- Copy of valid registration certificate under good and service tax Act 2017. x.
- SGST and CGST has been implemented by the respective Govt. with effect from 01/07/2017. 6. So contractor must quote his rate keeping effect of GST in mind & no claims will be accepted by this office in connection to GST later.
- The successful bidder has to submit all the supported documents/ bills/ vouchers of the materials 7. brought at site while claiming the bills.
- Dr. Babasaheb Ambedkar Marathwada University, Aurangabad does not bind itself to accept the 8. lowest or any such quotation and has the right to accept or reject whole or any part of tenders or a portion of the work without assigning any reasons. No correspondence in case of rejected tenders will be entertained. Incomplete quotations are liable to be rejected.

All questions, disputes or differences arising under and out of or in connection with the contract, if concluded, shall be referred to the sole arbitrator appointed by the Registrar, Dr. Babasaheb Ambedkar Marathwada University, Aurangabad.

The building materials of product listed below shall be considered good materials and this tender should be based on the use of the materials of the following manufacturers. In case any of the following make material is not available, hence in such case, the other make can be allowed only on patiolactory evidence of non-availability of prescribed make. In both the cases the necessary tests need to be done only from the approved laboratories. The Executive Engineer & Architect may allow alternate make in case of any

Sr.	Material	M.d.
No.		Make
1	Cement	Brand of cement in 53 grade - BIRLA SUPER / BIRLA A-1 /
		BIRLA GOLD / ULTRATECH / AMBUJA/ COROMANDAL / J.K. Cement
2	Steel reinforcement	
	Integrated plant	TMT steel as per IS 1786
3	CRS steel	TISCO / Rashtriyalspat Nigam Ltd. / SAIL
4	G.I. item	Prokash-Surva / Sugartik / Zenith
5	Plywood, Block	Indian Plywood manufacturing Co. Ltd. / Anchor / Kinphy /
	board, flush door	Swastik / Green Ply/ Century Ply
6	Glass	Ashish Glass / Modiguard / Saintgobain
7	Terrazzo Tiles	NITCO
8	Chequred Tiles	Sample approved by architect
8	Concrete Pavers	Sample approved by architect
9	block	
10	Glazed Tiles	Somany / Kajaria / Pedder / NITCO / Johnson & Johnson / Oesis
10	Glazed Thes	/ Asian (NUTCO) (Johnson & Johnson / Oasis
11	Ceramic	/ Asian Kajaria / Pedder / Somany / NITCO / Johnson & Johnson / Oasis
11	Cerainie	/ Asian / Regency/Orient Bell NITCO / Kajaria / Pedder / Somany / Johnson & Johnson / Oasis
12	Vitrified tiles	NITCO / Kajaria / Pedder / Soniany / Polaster & P
12	Vitilition	/ Asian / Spartex / Orient Bell Formica / Sunglass / Decolam / Royal Touch / Greenlam /
13	Laminates	
15	Dumma	Century Berger / Jenson Nicholson / Nerolac / Asian Paint
14	Paints	Berger / Jenson Nicholson / Neton
15	1.	Dulux / Berger / Asian Paint
15	Paint	Killick Nixon / Snowcem / Duracem
16	Water Proof cement	Killick Nixoli) Shoween a
	naint	INDAL / JINDAL
17	Aluminium Sections	INDAL / JINDAL SWR Supreme pipes / Ashirwad / Kisan / Kothari / Premier
18	Pipes, waste water	SWR Supreme pipes - Land
	and vent pipes &	
	fittings	Zenith / Prakash / Surya / Swastic
19	G.I. Pipes	Leader / Win / Elco
20) Valves	Leader / Win / Elco Supreme pipes / Ashirwad / Kisan / Kothari / Premier Supreme pipes / Ashirwad / Kisan / Kothari / Parry Engineering &
2	Rain water pipes	Undustan Sanitary Walks / Children
23		Electronic / Jonson & Jonson
		Jacquar / Hind ware/ L & K
2	3 Water supply	Jacquar / Thing war a
	fittings heavy type	
	fittings	SINTEX
2	4 PVC Doors,	
	shutters, Tanks	Sample approved by architect
2	5 Cement Concrete	Sample approved by
	Pipes	

26	C.I. Soil pipe, waste water pipes, vent pipes fittings, Nahani trap	NECO of ISI 3989
31	Stainless steel sink	Nirali / Neelkanth
35	Galvanized Circular pipes & square / rectangle tubes	Zenith / Prakash-Surya / Swastic